


# Alarms & **Smart Home**



# Security at your side

VOICE Google play CONTROLLED App store **DEVICES** amazon alexa









www.nodactechnology.com Call Center Free













# Your home, on your hand

Complete wireless, easy to DIY and setup, No holes in your walls, no special tool required



Use your smart devices to see and hear your private world wherever you are and in anytime of the day













The WiFi-enabled smart hub could be used for security alarm, elder care and doorbell alert. It allows you to get updates and change setting with smarphone anytime anywhere

WiFi enabled cloud security alarm system

- -App-based control and monitoring, no monthly fee, no contrac.
- -Know exact sensor that triggered in seconds
- -Plug and play, easy setup in less than ten minutes
- -Change settings and get live updates from miles away.
- -View the entire system or a single sensor anywhere anytime.
- -Easy to remove and take with you.
- -Built-in-strobe siren, 110dB of volume.
- -Customize your system, Expandable Supports up to 50 wireless accesories.
- -Custom alert for each sensor/detector.
- -Alarm history can be stored permanently.
- -More than just an alarm system.
- -Doorbell and Video monitoring are optional.



### Be Aware Anywhere

Change settings and get live updates from miles away. App based control and monitoring. Know exact sensor that triggered in seconds. Custom alert for each sensor/detector. Alarm history canbe stored permanentley





# Supports Multiples users Easy to share devices with your loved ones by scanning the

QR code





Use your phone for control the pan, tilt and view streaming video. Pan and tilt angle: Vertical 110° Horizontal 350°









### OCB-DB06W Doorbell push button



### **Features**

Use your phone to control the pan and tilt, and view


streaming video

- -Wireless transmitting distance: 200m (in the open area)
- -Transmitting frequency: 433.92MHZ
- -Operating Voltage:
- 12V DC(1\*23A battery)
- -Operating current:
- 1uA(standby),50mA(Transmitting)
- -Working temperature: 20 ~+50
- -Working Humidity: 85%

This button is an extension of the system, letting you know you have a visitor even if you are away from home 3 or activating a panic alert in case of an emergency

# OCB-RC06 Wireless mini motion sensor

Android



- -Wireless transmitting distance: 80m(in the open area)
- -Operating Frequency: 315/433MHz
- -Operating Voltage: 3V DC(1\*CR245 battery)
- -Operating current: 5uA(standby),15mA(Transmitting)
- -Detect distance:6M
- -Working temperature: -20~+50
- -Working Humidity: 85%



### OCB-MC09W

### Wireless Mini Magnetic Contact



### **Features**

- -Wireless transmitting distance: ≤80m(in the open area)
- -Transmitting frequency:
- 443.92MHZ
- -Operating Voltage: 3V DC(1\*CR1632 battery)
- -Operating current: 3uA(standby),15mA (Transmitting)
- -Installation gap: ≤1CM
- -Working temperature:
- -20°C~+50°C
- -Working Humidity: ≤85%

### **OCB-PIR-B4W**

# Wireless PIR motion sensor



### **Features**

- -Power Supply: Dc 3V (AA 1.5V LR6 Battery x 2 pcs)
- -Static Current: < 90uA
- -Alarm Current: < 9.5mA
- -Transmitting Distance:<80m (in open area)
- -Detection distance: 8m/110°
- -Radio Frecuency: 315MHz or 433.92MHz (+/- 75KHz)
- -Housing Material: ABS plastic
- -Operating Condition:
- -Temperature -10°C +55°C
- -Relative Humidity:
- <80% (non-condensing)

# OCB-DB06W Waterproof Doorbell push button



### **Features**

- -Battery in Transmitter: 12V 23A Alkaline Battery
- -Power Consumption (Transmitter): < 10mW</p>
- -Wireless Range: 900 ft in Open Air; 100~500 ft w/ Metal Security doors and Walls
- -Working Frequency: 433.92 MHz±280KHz
- -Working Temperature: 30°C~70°C
- -Case Colors:



### OCB-RC06

### Remote Control



### **Features**

- -Power Supply:
- -Alarm Current: < 7mA
- -Transmitting Distance: 80m (in open area)
- -Radio Frecuency: 315MHz
- or 433.92MHz (+/- 75KHz)
  -Housing Material: ABS plastic
- -Operating Condition:
- -Temperature -10°C +55°C
- -Relative Humidity:
- < 80% (non-condensing)

# OCB-DB15 Wireless Doorbell




### **Features**

- -Voltage of Plug-In Smart Receiver: AC 110V ~ AC 220V 50Hz/60Hz
- -Battery in Transmitter: 12V 23A Alkaline Battery
- -Power Consumption (Transmitter): < 10mW
- -Wireless Range: 900 ft in Open Air; 100~500 ft w/ Metal Security doors and Walls
- -Selectable Ring Tone: 52 Options
- -Volume Range: 4 Levels (up to 110 dB)
- -Expandable to Multiple Smart Receiver or Transmitter: Up to 50
- -Working Frequency: 433.92 MHz±280KHz
- -Working Temperature: -30°C~70°C -Plug type:AU,US,EU,UK optional

### Up to 300m wireless range

The operation range can reach up to 300m and 100 - 150m with walls and doors.







### OCB-DB15 Wireless Doorbell



#### Overview:

Wireless doorbell is an ideal for easily installing a doorbell without the hassle of wiring. Simply plug the receiver to an AC outlet and mount the transmitter where needed and you are ready to go! The doorbell features 52 ringtones and four levels of volume to suit your needs and can reach a distance of up to 1000FT when there are no obstructions

### 1.Up to 1000FT wireless range

The operation range can reach up to 1000FT in the open air, and 300~500FT with walls and doors.

#### 2. Never miss a visitor or delivery

The maximum volume of 110dB can be heard up to 300FT away,you will never miss a visitor or delivery again.

### 3.Flexible, fits into any home and office

Chimes and push buttons can be freely paired together as your need, and the ringtone can be set different for each push button.

#### 4.Easy to install and setup

Just plug receiver into an electrical outlet (no batteries required for receiver) and mount the transmitter where needed.

(1)Plug the plug-in chime into an outlet

(2) Mount the puss button where needed.

#### Main features:

- -Stylish modern design fits into any home and office.
- -52 ringtones(16 chord)to choose from and 4 steps volume control(25~110dB).
- -Simple to use and easy-to-install without the hassle of running any wires.
- -With up to 300m operating range in open space,100m audible range.
- -IP55 waterproof transmitter.
- -Eye-catching inditor alerts you when the doorbell can't be heard
- -Different quantity of push buttons(transmitter) and chimes(receiver) are free to pair together.
- -Approved with CE,FCC,RoHS certification.
- -The tingtone can be set to different for each push button.
- -Using learning code to prevent interference from other wireless transmitters.
- -Easy to choose your change and select your favorite ringtone with forward and backward button.
- -Automatically save selected ringtone after power off.

Voltage of Plug-In Smart Receiver: AC 110V ~ AC 220V 50Hz/60Hz(US,UK,EU,AU plug optional)

Battery in Transmitter: 12V 23A Alkaline Battery Power consumption (Transmitter): < 10mW

Wireless Range:1000FT in the Open Air; 100~500 ft w/

Metal Security doors and Walls Selectable Ring Tone: 52 Options Volume Range: 4 Levels (up to 110 dB)

Expandable to Multiple Smart Receiver or Transmitter:

Up to 50

Working Frequency: 433.92 MHz 280KHz

Working Temperature: -20~50 Plug type:AU,US,EU,UK optional

### Works with











### **OCB-Smart Home**

### Smart WIFI cloud alarm system

### Voice Controlled Device

The "brain" of the alarm system, with sound&flash alert. instant alert, view all devices status on APP anytime anywhere.



#### **Specifications:**

-Operating Voltage: 100-240V AC 50/60Hz -Wi-Fi standard: 2.4GHz 802.11b/h/n

-Stand-by power consumption: <2W

-Operating RF: 433.92MHZ

-The maximum number supported for wireless accessories 50

-Material: ABS

-Alarm volume: 90dB

-Working temperature: -20 ~+50

-Working Humidity: 85%

-Dimension: 81\*80.5\*28.5mm

-Weight: 150g























### **OCB-Smart Home**

### Smart WIFI cloud alarm system

The "brain" of the alarm system, with sound & flash alert, instant alert, view all devices status on APP anytime anywhere.

### Specifications:

-Operating Voltage: 100-240V AC 50/60Hz -Wi-Fi standard: 2.4GHz 802.11b/h/n -Stand-by power consumption: <2W

-Operating RF: 443.92MHZ

-The maximum number supported for wireless accessories 50

-Material: ABS

-Alarm volume: 90dB

-Working temperature: -20~+50

-Working Humidity: 85% -Dimension: 81\*80.5\*28.5mm

-Weight: 150g

















### Voice Controlled Device





Make home security system be smarter and easier.







# OCB-IPC-3812 IP Cam Video Intrusion Alarm System



### **Features**

- H.264 Video compression
- 1280x720MP resolution at 30fps
- Dual IR cut filter for day and night vision
- Pan/Tilt from devices
- PIR body detection, effective distance 7mts.
- 3D Voice echo cancelation and noise suppression
- Video gravity sensing
- Support 8 zone 64 wireless alarm accesories
- Two-Way audio with built-in speaker
- SD card slot of video recording
- WiFi 802.11b/g/n wireless
- 110\*102\*115mm / 350g.

















Use your smart devices to see and hear your private world wherever you are and in anytime of the day



### Remote Control




### Voice Control



Scare out intruder by voice or alarm

### Pan & Tilt







Tilt viewing range















# **Smart Home**







# **Smart Home**





### **OCB-SPCB09**



Control Box



- -Supports APP to control ON/OFF, Timer
- -Supports Alexa to voice control ON/OFF
  -One input:AC100V-250V
- -One input:AC100V-250V 50/60Hz 10A
- -Two output:AC100V-250V 50/60Hz 10A

- Hands-Free Voice Control with Alexa.
- (I) Support smart phone APP control from anywhere.
- Smart timing/time delay function.
- Overcurrent protection.
- Multi device intelligent linkage.
  - One button setup, easy for installation

### OCB-SWS10

Smart wall socket, control your appliances anytime and anywhere.





### **Features**

- -Supports APP to control ON/OFF
- -Supports Alexa to voice control ON/OFF
- -Two USB output:DC5V 2.1A







- Hands-Free Voice Control with Alexa.
- Support smart phone APP control from anywhere.
- Smart timing/time delay function.
- Overcurrent protection.
- Multi device intelligent linkage.
- One button setup, easy for installation.




# **Smart Home**



alexa









### **Features**

- -Supports APP to control ON/OFF
- -Dim/Brighten, Timer
- -Supports Alexa to voice control ON/OFF
- -Dim/Brighten

Wi-Fi access - control your lights by wifihave dimmer switch.







Smart WIFI socker more durable with waterproof design.





- Hands-Free Voice Control with Alexa.
- Support smart phone APP control from anywhere
- IP44 waterproof and dustproof design.
- Smart timing/time delay function.
- Overcurrent protection.
- Multi device intelligent linkage.

### **Features**

- -Supports APP to control ON/OFF
- -Timer
- -Supports Alexa to voice control ON/OFF
- -One input:AC100V-250V 50/60Hz 10A
- -Two output:AC100V-250V 50/60Hz 10A

### Smart thermostat

Smart thermostatic control, make feel more comfortable.



- Hands-Free Voice Control with Alexa.
- Smart control air conditioner, fireplace, fresh air, purification, humidifying, dehumidifier and other air conditioning equipments.
- Remote control it anytime and anywhere with smart phone, laptop and computer.
- Smart learning and memory function, constant temperature and humidity control.
- No noise, low power, more energy-efficient and environmentally friendly.
- Compatible with most brands of air conditioner, underfloor heating, air purifier and other household appliances.

### **Automatic Sprinkler controller**

Water your flowers and plants just by asking.



- Hands-Free Voice Control with Alexa.
- Support smart phone APP control from anywhere.
- Save water with timing/time delay function.
- More personalized multiple scenes and mode settling.
- Variety of accessories for option, one-stop solution.



### Technology developments that bring security



#### Miami / USA

2238 NW 82 AV Miami FL33122 Ph: 1-305-471-0422 Fax: 1-305-591-9422 info@nodactechnology.com

#### Pompano/ USA

1301 W. Copans Road Building "A", Suite 3 Pompano Beach, FL 33064 Ph: 954 - 449-4490 Fax: 954 - 933-3914 info@nodactechnology.com

#### **NODAC/ Europe**

NODAC TECHNOLOGY Europe Calle Pau Claris 162-164 Edificio Financia 6to-6ta. Barcelona 08037, España europe@nodactechnology.com

#### NODAC: China/ Asia

China / Asia Room 608 3rd Building Bilinghuating, Luohu district, Shenzhen, PRC Tel/Fax: 0086-755-25016796 Fax::86-755-25016706 info@nodactechnology.com

#### **Puerto Rico**

Antonio Barbosa Toll Free: 1-866-70-NODAC

ext: 2001

Ph: 305-471-0422 Ext: 2001 info@nodactechnology.com

#### Venezuela

Seguridad Integral C.A (Seinca) Ave 8 # F-59 Urb. Irama. Maracaibo Zulia Venezuela Phone: +58 261 4182134 +58 261 7482215 Fax Movil +58 414 6260867 USA 001 215 475.9207 info@nodactechnology.com

#### **Jamaica**

Digital Commodities Ltd. 4 Northend Place, Kingston 10, Jamaica Phone: (876) 960-8359 Fax:(876)754-1210 info@nodactechnology.com

### **Trinidad & Tobago**

Circuit Zone LTD Advance Commercial Building Cor. Churchill Rosevelt Highway Boundary Ext. South Aranguez Phone: 674-8000, 674-9000 Fax: 674-4800 info@nodactechnology.com

#### Guatemala

1 ave. 4-23 Zona 9. Guatemala Ph: (502) 2360-3469 Fax: (502) 2332-4283 info@nodactechnology.com

### **Dominican Republic**

TYC Seguridad Electronica Ubicado en la Ave. Roberto Pastoriza No. 210, Suite 11-B Ens. Naco, Santo Domingo, D.N. Tel. 809-412-5080 info@nodactechnology.com

#### Suriname

**NV Profession Electronics** & Security Systems. Paramaribo Suriname Livorno weg no 155. Phone number: 597485108 info@nodactechnology.com

#### Curação

Tech Domain Kaya Max Henriquez # 10 Willemstad, Curacao Tel. (+5999) 465 7125 info@nodactechnology.com

### www.nodactechnology.com

**Alarms Smart Home Systems** 

**VOICE-CONTROLLED DEVICES** 





























Technology developments that bring security

**MIAMI USA** 2236 NW 82 AV Miami, FL 33122 Phone: 1 - 305 - 471.0422 Fax: 1 - 305 - 591.9422

info@nodactechnology.com **USA Toll Free:** 1 - 888 - 569 - 5062 www.nodactechnology.com

**POMPANO USA** 1301 W. Copans Road

Building "A", Suite 3 Pompano Beach, FL 33064 Phone: 954 - 449.4490 Fax: 954 - 933.3914